

LED G40 GLOBE



The LED G40 is ideal for providing clear general lighting for globe, vanity and decorative fixtures throughout homes and hospitality applications. It consumes only 15 watts and replaces a 90-watt incandescent bulb, resulting in up to 80 percent savings in energy. The bulb has a life of 25,000 hours at L70 standards. Lumen maintenance is enhanced by the integrated thermal management system.

FEATURES:

- Lumens: 900
- 15 watts
- 25,000 hour life (L70)
- CRI: 80
- Solid aluminum housing for thermal heat protection
- Five year warranty
- Dimmable down to 10 percent
- Saves up to 90 percent energy and operating costs
- Suitable for damp locations
- 50/60hz
- Not for use in enclosed luminaires

CONSTRUCTION:

LEDs: All LEDs are matched for color and CRI. The stated 25,000 hour life is based on functional light quality. After 30 percent lumen depreciation MaxLite considers the functionality of the lamp to be ended (end of life), even though the lamp is still at 70 percent of initial lumens.

Housing: The body of each lamp is die-cast aluminum, which acts as a heat-sink to provide thermal heat conductivity. This keeps the LED junction temperature well below the manufacturer's specification. The lamps stay cool and the lumens are maintained for longer life.

Base: The G40 has a standard E26 base.

PROJECT NAME
CATALOG NUMBER
NOTES
FIXTURE TYPE



Lamp Ordering Information:

Watts	Order Number	Model Number	Incandescent Equivalent	Lumens	Lamp Life (Hrs.)	Dimensions (W"xH")	CCT
15	72081	SKG15DLED30	90W	900	25,000	4.8" x 6.4"	3000

MAX13143

Lighting layouts and spacing criteria available upon request



LED G40 GLOBE

COMPATIBLE DIMMERS:

Manufacturer	Model#
Legrand	CD703PW
Legrand	D703-PTC
Legrand	ADTP703TU
Leviton	6633-P
Leviton	IPL06
Lutron	DV-600
Lutron	S-600P
Lutron	TG600-PR
Lutron	CTCL-153
Lutron	DVCL-153L
Lutron	TGCL-153PH
Lutron	SELVB-300P

DIMENSIONS:

